



(12) **United States Patent**
Hunter et al.

(10) **Patent No.:** **US 11,764,593 B2**
(45) **Date of Patent:** ***Sep. 19, 2023**

(54) **POWER SUPPLY UNIT**

(71) Applicant: **IPS Group Inc.**, San Diego, CA (US)

(72) Inventors: **Stephen John Hunter**, San Diego, CA (US); **Andre Malan Joubert**, Edenvale (CA)

(73) Assignee: **IPS GROUP INC.**, San Diego, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 168 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **17/133,215**

(22) Filed: **Dec. 23, 2020**

(65) **Prior Publication Data**

US 2021/0344218 A1 Nov. 4, 2021

Related U.S. Application Data

(63) Continuation of application No. 16/742,335, filed on Jan. 14, 2020, now abandoned, which is a (Continued)

(51) **Int. Cl.**
H02J 7/00 (2006.01)
H02J 7/35 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H02J 7/0044** (2013.01); **G07F 17/24** (2013.01); **H02J 7/0024** (2013.01);
(Continued)

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,161,046 A 6/1939 Hitzeman
2,822,682 A 2/1958 Sollenberger
(Continued)

FOREIGN PATENT DOCUMENTS

AU 2014239914 A1 10/2015
CA 2377010 A1 10/2001
(Continued)

OTHER PUBLICATIONS

Case No. 15-cv-1526-CAB (MDD) Minute Order of the US District Court, Southern District of California. Document 332, filed Apr. 29, 2019 (1 pgs).

(Continued)

Primary Examiner — Jared Fureman


Assistant Examiner — Joel Barnett

(74) *Attorney, Agent, or Firm* — Wilson Sonsini Goodrich & Rosati

(57) **ABSTRACT**

A power supply unit for supplying power to a device has a rechargeable, main battery; a charging arrangement for charging the main battery; a non-rechargeable back-up battery; load terminals for connection to a load; and a control unit for controlling supply of power to the load primarily from the main battery and secondarily from the back-up battery. The device is, in particular, a single bay, stand alone parking meter. In the event that the main battery runs low, the control unit is configured to supply power to the load from both the main battery and the back-up battery or only from the back-up battery. The back-up battery is easily replaceable, and the power supply unit has a bay, with connectors for receiving the back-up battery. The main battery is charged from solar panels. A communication device is provided to communicate status messages wirelessly to a control system.

32 Claims, 4 Drawing Sheets



Related U.S. Application Data

continuation of application No. 15/599,827, filed on May 19, 2017, now Pat. No. 10,574,085, which is a continuation of application No. 15/160,646, filed on May 20, 2016, now Pat. No. 9,692,256, which is a continuation of application No. 13/928,058, filed on Jun. 26, 2013, now Pat. No. 9,391,474, which is a continuation of application No. 12/059,909, filed on Mar. 31, 2008, now Pat. No. 8,513,832.

(60) Provisional application No. 60/909,209, filed on Mar. 30, 2007.

(51) **Int. Cl.**
H02J 9/06 (2006.01)
G07F 17/24 (2006.01)

(52) **U.S. Cl.**
 CPC **H02J 7/00302** (2020.01); **H02J 7/35**
 (2013.01); **H02J 9/06** (2013.01); **H02J 9/061**
 (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,832,506	A	4/1958	Hatcher	
2,988,191	A	6/1961	Grant	
3,183,411	A	5/1965	Palfi	
3,535,870	A	10/1970	Mitchell et al.	
3,721,463	A	3/1973	Attwood et al.	
3,999,372	A	12/1976	Welch et al.	
4,025,791	A	5/1977	Lennington et al.	
4,043,117	A	8/1977	Maresca et al.	
4,310,890	A	1/1982	Trehn et al.	
4,460,965	A	7/1984	Trehn et al.	
4,812,805	A	3/1989	Lachat et al.	
4,823,928	A	4/1989	Speas	
4,825,425	A	4/1989	Turner	
4,872,149	A	10/1989	Speas	
4,875,598	A	10/1989	Dahl	
4,880,097	A	11/1989	Speas	
4,895,238	A	1/1990	Speas	
5,027,390	A	6/1991	Hughes	
5,036,859	A	8/1991	Brown	
5,065,156	A	11/1991	Bernier	
5,201,396	A	4/1993	Chalabian et al.	
5,222,076	A	6/1993	Ng et al.	
5,244,070	A	9/1993	Carmen et al.	
5,259,491	A	11/1993	Ward, II	
5,273,151	A	12/1993	Carmen et al.	
5,351,187	A	9/1994	Hassett	
5,360,095	A	11/1994	Speas	
5,382,780	A	1/1995	Carmen	
5,426,363	A	6/1995	Akagi et al.	
5,442,348	A	8/1995	Mushell G07F 17/246 194/902	
5,471,139	A	11/1995	Zadoff	
5,563,491	A	10/1996	Tseng	
5,614,892	A	3/1997	Ward, II et al.	
5,617,942	A	4/1997	Ward, II et al.	
5,640,002	A	6/1997	Ruppert et al.	
5,642,119	A	6/1997	Jacobs	
5,648,906	A	7/1997	Amirpanahi	
5,659,306	A	8/1997	Bahar	
5,710,743	A	1/1998	Dee et al.	
5,737,710	A	4/1998	Anthonyson	
5,777,951	A	7/1998	Mitschele et al.	
5,778,067	A	7/1998	Jones et al.	
5,806,651	A	9/1998	Carmen et al.	
5,833,042	A	11/1998	Baitch et al.	
5,841,369	A	11/1998	Sutton et al.	
5,842,411	A	12/1998	Johnson	
5,845,268	A	12/1998	Moore	
5,852,411	A	12/1998	Jacobs et al.	

5,903,520	A	5/1999	Dee et al.	
5,946,774	A	9/1999	Ramsey et al.	
5,954,182	A	9/1999	Wei	
6,037,880	A	3/2000	Manion	
6,078,272	A	6/2000	Jacobs et al.	
6,081,205	A	6/2000	Williams	
6,111,522	A	8/2000	Hiltz et al.	
6,116,403	A	9/2000	Kiehl	
6,195,015	B1	2/2001	Jacobs et al.	
6,229,455	B1	5/2001	Yost et al.	
6,230,868	B1	5/2001	Tuxen et al.	
6,309,098	B1	10/2001	Wong	
6,312,152	B2	11/2001	Dee et al.	
RE37,531	E	1/2002	Chaco et al.	
6,373,422	B1	4/2002	Mostafa	
6,373,442	B1	4/2002	Thomas et al.	
6,456,491	B1	9/2002	Flannery et al.	
6,457,586	B2	10/2002	Yasuda et al.	
6,467,602	B2	10/2002	Bench et al.	
6,505,774	B1*	1/2003	Fulcher G06Q 30/0284 705/13	
6,559,776	B2	5/2003	Katz	
6,697,730	B2	2/2004	Dickerson	
6,747,575	B2	6/2004	Chauvin et al.	
6,812,857	B1	11/2004	Kassab et al.	
6,823,317	B1	11/2004	Ouimet et al.	
6,856,922	B1	2/2005	Austin et al.	
6,885,311	B2	4/2005	Howard et al.	
6,914,411	B2	7/2005	Couch et al.	
6,929,179	B2	8/2005	Fulcher et al.	
7,019,420	B2	3/2006	Kogan et al.	
7,019,670	B2	3/2006	Bahar	
7,023,360	B2	4/2006	Staniszewski et al.	
7,027,773	B1	4/2006	McMillin	
7,183,999	B2	2/2007	Matthews et al.	
7,222,031	B2	5/2007	Heatley	
7,237,716	B2	7/2007	Silberberg	
7,388,349	B2	6/2008	Elder et al.	
D575,168	S	8/2008	King et al.	
D587,141	S	2/2009	King et al.	
7,748,620	B2	7/2010	Gomez et al.	
7,772,720	B2	8/2010	McGee et al.	
7,780,072	B1	8/2010	Lute et al.	
7,783,530	B2	8/2010	Slemmer et al.	
7,806,248	B2	10/2010	Hunter et al.	
7,825,826	B2	11/2010	Welch et al.	
7,854,310	B2	12/2010	King et al.	
7,855,661	B2	12/2010	Ponert	
7,933,841	B2	4/2011	Schmeyer et al.	
8,138,950	B1	3/2012	Leung	
8,207,394	B2	6/2012	Feldkamp et al.	
8,395,532	B2	3/2013	Chauvin et al.	
8,417,715	B1	4/2013	Bruckhaus et al.	
8,479,909	B2	7/2013	King et al.	
8,513,832	B2	8/2013	Hunter et al.	
8,566,159	B2	10/2013	King et al.	
8,590,687	B2	11/2013	King et al.	
8,595,054	B2	11/2013	King et al.	
8,631,921	B2	1/2014	Jones et al.	
8,684,158	B2	4/2014	Jones et al.	
8,710,798	B2	4/2014	Turner	
8,749,403	B2	6/2014	King et al.	
8,770,371	B2	7/2014	Mackay et al.	
8,862,494	B2	10/2014	King et al.	
8,866,624	B2	10/2014	Ales, III et al.	
8,884,785	B2	11/2014	Groft et al.	
9,002,723	B2	4/2015	King et al.	
9,047,712	B2	6/2015	King et al.	
9,127,964	B2	9/2015	Schwarz et al.	
9,196,161	B2	11/2015	Lai et al.	
9,262,915	B2	2/2016	Clem et al.	
9,391,474	B2	7/2016	Hunter et al.	
9,424,691	B2	8/2016	King et al.	
9,489,776	B2	11/2016	Kell et al.	
9,508,198	B1	11/2016	King et al.	
9,601,018	B2	3/2017	Cogill et al.	
9,661,403	B2	5/2017	King et al.	
9,685,027	B2	6/2017	King et al.	
9,692,256	B2	6/2017	Hunter et al.	

(56)

References Cited

U.S. PATENT DOCUMENTS

9,707,911	B1	7/2017	Myers	2007/0189907	A1	8/2007	Kunihiro et al.
9,728,085	B2	8/2017	Schwarz et al.	2007/0210935	A1	9/2007	Yost et al.
9,779,565	B2	10/2017	Rabbat	2007/0285281	A1	12/2007	Welch
9,805,518	B2	10/2017	King et al.	2008/0052254	A1	2/2008	Al et al.
10,089,814	B2	10/2018	King et al.	2008/0071611	A1	3/2008	Lovett
10,154,029	B1	12/2018	Griffin	2008/0093454	A1	4/2008	Yamazaki et al.
10,262,345	B2	4/2019	King et al.	2008/0147268	A1	6/2008	Fuller
10,275,650	B2	4/2019	Laaksonen	2008/0208680	A1	8/2008	Cho
10,297,150	B2	5/2019	Schwarz et al.	2008/0238715	A1	10/2008	Cheng et al.
10,299,018	B1	5/2019	King et al.	2008/0245638	A1	10/2008	King et al.
10,315,665	B2	6/2019	Halder	2008/0270227	A1	10/2008	Al Amri
10,366,546	B2	7/2019	King et al.	2008/0277468	A1	11/2008	Mitschele
10,423,980	B2	9/2019	King et al.	2008/0291054	A1	11/2008	Groft
10,464,530	B2	11/2019	Falkson	2008/0319837	A1	12/2008	Mitschele
10,491,972	B2	11/2019	King et al.	2009/0026842	A1	1/2009	Hunter et al.
10,503,990	B2	12/2019	Gleeson-May	2009/0032368	A1	2/2009	Hunter et al.
10,574,085	B2	2/2020	Hunter et al.	2009/0095593	A1	4/2009	King et al.
10,664,880	B2	5/2020	King et al.	2009/0109062	A1	4/2009	An
10,674,236	B2	6/2020	King et al.	2009/0146838	A1	6/2009	Katz
10,741,064	B2	8/2020	Schwarz et al.	2009/0159674	A1	6/2009	King et al.
11,386,420	B2	7/2022	Nolan et al.	2009/0177580	A1	7/2009	Lowenthal et al.
2001/0012241	A1	8/2001	Dee et al.	2009/0183966	A1	7/2009	King et al.
2001/0047278	A1	11/2001	Brookner et al.	2009/0192950	A1	7/2009	King et al.
2001/0051531	A1	12/2001	Singhal et al.	2009/0267732	A1	10/2009	Chauvin et al.
2002/0008639	A1	1/2002	Dee	2009/0284907	A1	11/2009	Regimbal et al.
2002/0063035	A1	5/2002	Blad et al.	2009/0315720	A1	12/2009	Clement et al.
2002/0109609	A1	8/2002	Potter, Sr. et al.	2010/0106517	A1	4/2010	Kociubinski et al.
2002/0109610	A1	8/2002	Katz	2010/0168694	A1	7/2010	Gakhar et al.
2002/0109611	A1	8/2002	Howard	2010/0188932	A1	7/2010	Hanks et al.
2002/0111768	A1	8/2002	Ghorayeb et al.	2010/0332394	A1	12/2010	Ioli
2003/0010821	A1	1/2003	Silberberg	2011/0015934	A1	1/2011	Rowe et al.
2003/0092387	A1	5/2003	Hjelmvik	2011/0057815	A1	3/2011	King et al.
2003/0112151	A1	6/2003	Chauvin et al.	2011/0060653	A1	3/2011	King et al.
2003/0112597	A1	6/2003	Smith	2011/0062230	A1	3/2011	Ward, II et al.
2003/0121754	A1	7/2003	King	2011/0203901	A1	8/2011	King et al.
2003/0128010	A1	7/2003	Hsu	2011/0204847	A1	8/2011	Turner
2003/0128136	A1	7/2003	Spier et al.	2011/0210827	A1	9/2011	Lidror
2003/0132840	A1	7/2003	Bahar	2011/0213656	A1	9/2011	Turner
2003/0140531	A1	7/2003	Pippins	2011/0313822	A1	12/2011	Burdick
2003/0144972	A1	7/2003	Cordery et al.	2011/0320243	A1	12/2011	Khan
2003/0169183	A1	9/2003	Korepanov et al.	2012/0084210	A1	4/2012	Farahmand
2003/0179107	A1	9/2003	Kibria et al.	2012/0092528	A1	4/2012	Jung et al.
2003/0220835	A1	11/2003	Barnes et al.	2012/0143657	A1	6/2012	Silberberg
2003/0222792	A1	12/2003	Berman et al.	2012/0158466	A1	6/2012	John
2004/0059693	A1	3/2004	Hausen et al.	2012/0185325	A1	7/2012	Shani
2004/0068434	A1	4/2004	Kanekon	2012/0215375	A1	8/2012	Chang
2004/0084278	A1	5/2004	Harris et al.	2012/0222935	A1	9/2012	Mackay et al.
2004/0094619	A1	5/2004	Silberberg	2012/0285790	A1	11/2012	Jones et al.
2004/0181496	A1	9/2004	Odinotski et al.	2012/0285791	A1	11/2012	Jones et al.
2004/0207530	A1	10/2004	Nielsen	2012/0285792	A1	11/2012	Jones et al.
2004/0254840	A1	12/2004	Slemmer et al.	2012/0285793	A1	11/2012	Jones et al.
2004/0264302	A1	12/2004	Ward	2012/0286036	A1	11/2012	Jones et al.
2005/0040951	A1	2/2005	Zalewski et al.	2012/0292385	A1	11/2012	Mackay et al.
2005/0099320	A1	5/2005	Nath et al.	2013/0005445	A1	1/2013	Walker et al.
2005/0155839	A1	7/2005	Banks et al.	2013/0027218	A1	1/2013	Schwarz et al.
2005/0178639	A1	8/2005	Brumfield et al.	2013/0099943	A1	4/2013	Subramanya
2005/0192911	A1	9/2005	Mattern	2013/0116952	A1	5/2013	Chai
2005/0216354	A1	9/2005	Bam et al.	2013/0124320	A1	5/2013	Karner
2005/0226201	A1	10/2005	McMillin et al.	2013/0143536	A1	6/2013	Rai, II
2006/0021848	A1	2/2006	Smith	2013/0238406	A1	9/2013	King et al.
2006/0028919	A1	2/2006	Mitschele	2013/0262275	A1	10/2013	Outwater et al.
2006/0052055	A1	3/2006	Rowse et al.	2014/0041301	A1	2/2014	Oakley
2006/0116972	A1	6/2006	Wong	2014/0108107	A1	4/2014	Jones et al.
2006/0136131	A1	6/2006	Dugan et al.	2014/0129158	A1	5/2014	Shea
2006/0149684	A1	7/2006	Matsuura et al.	2014/0174881	A1	6/2014	King et al.
2006/0152349	A1	7/2006	Ratnakar	2014/0210646	A1	7/2014	Subramanya
2006/0267799	A1	11/2006	Mendelson	2014/0214499	A1	7/2014	Hudson et al.
2007/0016539	A1	1/2007	Groft et al.	2014/0214500	A1	7/2014	Hudson et al.
2007/0040449	A1	2/2007	Spurlin et al.	2014/0229246	A1	8/2014	Ghaffari
2007/0074702	A1	4/2007	Nakamura et al.	2014/0257943	A1	9/2014	Nerayoff et al.
2007/0094153	A1	4/2007	Ferraro	2014/0289025	A1	9/2014	King et al.
2007/0114849	A1	5/2007	Falik et al.	2015/0045984	A1	2/2015	Hui
2007/0119682	A1	5/2007	Banks et al.	2015/0106172	A1	4/2015	Salama
2007/0136128	A1	6/2007	Janacek et al.	2015/0120336	A1	4/2015	Grokop et al.
2007/0184852	A1	8/2007	Johnson et al.	2015/0134460	A1	5/2015	Tian et al.
				2015/0179070	A1	6/2015	Sandbrook

(56)

References Cited

OTHER PUBLICATIONS

U.S. PATENT DOCUMENTS

2015/0191178	A1	7/2015	Roy
2015/0242605	A1	8/2015	Du
2015/0283902	A1	10/2015	Tuukkanen
2015/0332587	A1	11/2015	Schwarz et al.
2015/0356604	A1	12/2015	Kim et al.
2016/0001782	A1	1/2016	Fiedler
2016/0012418	A1	1/2016	Mackay et al.
2016/0086397	A1	3/2016	Phillips
2016/0163119	A1	6/2016	Bashani
2016/0267340	A1	9/2016	Jensen
2017/0034600	A1	2/2017	King et al.
2017/0083043	A1	3/2017	Bowers et al.
2017/0098339	A1	4/2017	Keller et al.
2017/0186054	A1	6/2017	Fish
2017/0197568	A1	7/2017	Decia
2017/0213262	A1	7/2017	Kelley, II et al.
2017/0299400	A1	10/2017	Joung et al.
2017/0320501	A1	11/2017	Li
2017/0323227	A1	11/2017	Sadeghi
2017/0369071	A1	12/2017	Gould
2018/0018179	A1	1/2018	Scheufler
2018/0025549	A1	1/2018	King et al.
2018/0082488	A1	3/2018	King et al.
2018/0082489	A1	3/2018	King et al.
2018/0082490	A1	3/2018	King et al.
2018/0160282	A1	6/2018	Van De Poll
2018/0225908	A1	8/2018	Mackay et al.
2018/0322534	A1	11/2018	King et al.
2018/0339708	A1	11/2018	Geller
2018/0342165	A1	11/2018	Sweeney et al.
2018/0350185	A1	12/2018	King et al.
2019/0066424	A1	2/2019	Hassani
2019/0220011	A1	7/2019	Della Penna
2019/0227954	A1	7/2019	Shi
2019/0272680	A1	9/2019	King et al.
2019/0272681	A1	9/2019	King et al.
2019/0304203	A1	10/2019	King et al.
2019/0362383	A1	11/2019	King et al.
2019/0370923	A1	12/2019	Randall et al.
2019/0385454	A1	12/2019	King et al.
2020/0153270	A1	5/2020	Hunter et al.
2020/0160263	A1	5/2020	Kuettner
2020/0276503	A1	9/2020	Marchiorello
2020/0310528	A1	10/2020	Upmanue
2020/0327801	A1	10/2020	Schwarz et al.
2020/0334581	A1	10/2020	Skaling
2020/0349666	A1	11/2020	Hodge
2020/0364967	A1	11/2020	Spice

FOREIGN PATENT DOCUMENTS

CA	2363915	A1	5/2003
CN	1037604	A	11/1989
EP	0329129	A2	8/1989
EP	0265328	B1	12/1992
EP	0980055	B1	9/2001
EP	0933288	B1	4/2005
FR	2837583	A1	9/2003
GB	2284919	B	12/1997
JP	2002042181	A	2/2002
JP	2002099640	A	4/2002
JP	2005267430	A	9/2005
JP	4240927	B2	3/2009
KR	20050038077	A	4/2005
WO	WO-03005324	A1	1/2003
WO	WO-2005031494	A2	4/2005
WO	WO-2006095352	A2	9/2006
WO	WO-2007063530	A2	6/2007
WO	WO-2009154787	A2	12/2009
WO	WO-2010071972	A1	7/2010
WO	WO-2013019273	A1	2/2013
WO	WO-2014014494	A1	1/2014

Cell Net Data Systems. First Wireless Monitoring of Parking Meters Results in Theft Arrests Using CellNet Data Systems Technology. PRNewswire (May 11, 1999) (2 pgs.).

Decision Denying Institution of Inter Partes Review dated Mar. 30, 2016 of U.S. Pat. No. 7,854,310. IPR Case No. IPR2016-00068.

Decision Denying Inter Partes Review dated Apr. 1, 2016 of U.S. Pat. No. 8,595,054. IPR Case No. IPR2016-00069.

Decision Denying Inter Partes Review dated Apr. 1, 2016 of U.S. Pat. No. 8,595,054. IPR Case No. IPR2016-00070.

Decision Instituting Inter Partes Review dated Mar. 30, 2016 of U.S. Pat. No. 7,854,310. IPR Case No. IPR2016-00067.

Fidelman. Time's Running Out for Parking Meters at Present Locations: \$270,000 Cited as Replacement Cost. City Employees Who Ticket Motorists Find Electronic Meters Unsuitable. The Gazette, Final Edition, Montreal, Quebec, Canada, Nov. 12, 2002, p. A7.

Final Written Decision of U.S. Pat. No. 7,854,310. IPR Case No. IPR2016-00067 dated Mar. 27, 2017.

Flatley. In San Francisco, Hackers Park for Free. Read filed under Misc. Gadgets, downloaded from www.engadget.com website on May 3, 2010. Originally posted on Jul. 31, 2009 (5 pgs.).

Howland. How M2M Maximizes Denver's Revenue. Field TechnologiesOnline.com, Oct. 2011, pp. 9-12 [online] [retrieved Mar. 5, 2013], Retrieved from <http://www.fieldtechnologiesonline.com/doc.mvc/How-M2M-Maximizes-Denvers-Revenue-0001> (4 pgs).

Jim Bonfield. An Exercise in Changing The Business: Advertising Vending Machines. (4 pgs.) (Feb. 7, 2018).

Meter Solutions, Single-Space Meters brochure, downloaded from www.duncansolutions.com website, (revised Apr. 2006) (2 pgs.).

Order on Stipulation and Joint Motion to Dismiss. Case No. 17-CV-632-CAB (MDD) dated Apr. 18, 2019.

PCT/IB2006/054574 International Preliminary Report on Patentability dated Mar. 10, 2009.

PCT/IB2006/054574 International Search Report dated Oct. 27, 2008.

PCT/US2010/047906 International Preliminary Report on Patentability dated Mar. 6, 2012.

PCT/US2010/047906 International Search Report dated Mar. 30, 2011.

PCT/US2010/047907 International Preliminary Report on Patentability dated Mar. 15, 2012.

PCT/US2010/047907 International Search Report dated Apr. 26, 2011.

PCT/US2012/048190 International Search Report dated Jan. 22, 2013.

Petition for Inter Partes Review of U.S. Pat. No. 7,854,310. IPR Case No. IPR2016-00067, filed Oct. 22, 2015.

Petition for Inter Partes Review of U.S. Pat. No. 7,854,310. IPR Case No. IPR2016-00068, filed Oct. 22, 2015.

Petition for Inter Partes Review of U.S. Pat. No. 8,595,054. IPR Case No. IPR2016-00069, filed Oct. 22, 2015.

Petition for Inter Partes Review of U.S. Pat. No. 8,595,054. IPR Case No. IPR2016-00070, filed Oct. 22, 2015.

Spyker et al. Predicting Capacitor Run Time for a Battery/Capacitor Hybrid Source. Power Electronic Drives and Energy Systems for Industrial Growth. 1998. Proceedings. 1998 IEEE International Conference, pp. 809-814.

The U.S. Conference of Mayors Presents 'Best Practice' Awards, Los Angeles, New Orleans, Elizabeth, N.J. and Long Beach, CA Honored for Excellence & Innovation in Public-Private partnerships, Press Release Jan. 20, 2012 (3 pgs.).

Tung. Design of an advanced on-street parking meter. RIT Scholar Works. Thesis/Dissertation Collections (75 pgs.) (2001).

Garra et al.: A Privacy-Preserving Pay-by-Phone Parking System. Computer Science IEEE Transactions on Vehicular Technology, pp. 1-10 DOI:10.1109/TVT.2016.2634785 (2017).

Ranjan Maitra, Pay Phones, Parking Meters, Vending Machines, and Optimal Bayesian Decisions on Collection Times (2011).

* cited by examiner

FIG. 1




FIG. 2




FIG. 3





FIG. 4



POWER SUPPLY UNIT

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. patent application Ser. No. 16/742,335, filed on Jan. 14, 2020, which is a continuation of U.S. patent application Ser. No. 15/599,827 filed on May 19, 2017, now issued as U.S. Pat. No. 10,574,085 on Feb. 25, 2020, which is a continuation of U.S. patent application Ser. No. 15/160,646 filed on May 20, 2016, now issued as U.S. Pat. No. 9,692,256 on Jun. 27, 2017, which is a continuation of U.S. patent application Ser. No. 13/928,058 filed on Jun. 26, 2013, now issued as U.S. Pat. No. 9,391,474 on Jul. 12, 2016, which is a continuation of U.S. patent application Ser. No. 12/059,909 filed on Mar. 31, 2008, now issued as U.S. Pat. No. 8,513,832 on Aug. 20, 2013, which claims the benefit of U.S. Provisional Application No. 60/909,209 filed on Mar. 30, 2007, entitled "POWER SUPPLY UNIT," the contents of each are incorporated herein by reference for all purposes.

FIELD OF THE INVENTION

THIS INVENTION relates to a power supply unit and to a device, in particular a single bay parking meter, having the power supply unit.

SUMMARY OF THE INVENTION

According to the invention, there is provided a power supply unit for supplying power to a device, the power supply unit including

- a rechargeable, main battery;
- a charging arrangement for charging the main battery;
- a set of connectors for connection to a back-up battery;
- a set of load terminals for connection to a load; and
- a control unit for controlling supply of power to the load primarily from the main battery and secondarily from the back-up battery.

In an embodiment of the invention the power supply unit has the main battery and the back-up battery. The back-up battery is preferably non-rechargeable.

It will be appreciated that power is taken, in use, from the backup battery in the event that the main battery is inadequate.

Further according to the invention there is provided a device, in particular a parking meter, which has a power supply unit in accordance with the invention.

In the event that the main battery runs low, the control unit is configured to supply power to the load from both the main battery and the back-up battery or only from the back-up battery.

In a preferred embodiment, the back-up battery is easily replaceable. In this embodiment, the power supply unit has a bay for receiving the back-up battery and the connectors are spaced and are such as to permit easy removal and replacement of the back-up battery.

In another embodiment of the invention, the power supply unit further includes a communication device, for communicating messages to a control system. Such messages are selected from the group consisting of: notification that the main battery has been insufficiently recharged, and a notification that power is being supplied from the backup battery.

In a further embodiment of the invention, the communication device may be operable in a wireless manner, and

utilizes a cellular telephone network. Thus, with this embodiment, the communication device may have a cellular telephone module.

In an embodiment of the invention, the charging arrangement includes charging terminals for connecting the unit to a solar panel. The device then incorporates the solar panel.

It will be appreciated that in normal operation power is supplied only from the main battery. However, if the main battery is insufficiently recharged, or it is unable to supply the power required by the load, then supplementary power is supplied, partially or totally, from the backup battery, as determined by the control unit.

Preferably, the nominal supply voltage of the backup battery is slightly greater than that of the main battery.

BRIEF DESCRIPTION OF THE DRAWINGS

Embodiments of the invention is now described, by way of example only and without limiting the scope of the invention, with reference to the accompanying figures, wherein:

FIG. 1 is an isometric view of a power supply unit in accordance with the invention, shown in alignment with part of a parking meter body;

FIG. 2 is a rear view of the part of the parking meter body, depicting the power supply unit when inserted fully therein;

FIG. 3 is a schematic sectioned view of the power supply unit; and

FIG. 4 is a circuit diagram of the power supply unit.

DETAILED DESCRIPTION

In the accompanying figures, the power supply unit is generally designated by reference numeral **10** and comprises a rechargeable, main battery **12**, a charging arrangement in the form of a diode **34** for charging the main battery **12**, a replaceable back-up battery **14**, load terminals **19** and a control unit **16** for controlling supply of power to a load **20** connected via the load terminals **19** primarily from the main battery **12** and secondarily from the back-up battery **14** in the event that the main battery **12** is inadequate. The power supply unit **10** further has a solar panel terminal **33** and an auxiliary charging terminal **28**.

The power supply unit **10** further includes a bay **17** which contains the replaceable backup battery **14**. The bay **17** is illustrated in FIG. 3, where it is seen to be defined by a compartment **21** with a lid **23** within the power supply unit **10**. The bay **17** has spaced connectors **15** for the backup battery **14**. Also shown in FIG. 3 is a communication device **24** with a cellular telephone module **26**.

More specifically, in a preferred embodiment of the invention, the main battery **12** comprises an arrangement of five "AA" size nickel cadmium rechargeable cells, which cells are coupled to each other and recharged by solar panels **18** via the solar panel terminal **33**. The backup battery **14** comprises a coupled arrangement of two non-rechargeable, disposable "C" size lithium-thionyl chloride cells, and the control unit **16** is a conventional linear, low dropout control unit, known in the trade as the Linear Technology™ model LT1529-5. The control unit **16** controls the supply of power to the load **20** from the main battery **12** and the backup battery **14**, in the manner described below.

It is not only the power supply unit **10** itself that is the subject of this invention. This invention extends to include a device, in particular a single bay stand alone parking meter **50**, having the power supply unit **10** as described above. This is illustrated in FIGS. 1 and 2, in which FIG. 1 depicts the

3

power supply unit **10** aligned for insertion into a complementary dimensioned and configured recess **40** within parking meter **50**. The power supply unit **10** is moved into position, in the direction of arrow "A," to fit snugly within the recess **40**, as is depicted in FIG. 2. A coin validation unit **45** of the parking meter **50** is not a part of the present invention, but is mentioned for completeness, since the validation unit **45**, and other components, such as a timer and a display (not shown) are powered by the power supply unit **10**, being connected thereto via the load terminals **19**. The parking meter **50** has the solar panels **18** which are connected to the solar panel terminal **33**.

The power supply unit **10** is operated as follows. Under favorable conditions, with the main battery **12** being sufficiently charged and with the voltage across the main battery **12** being greater than a predetermined threshold value, the control unit **16** is configured to permit only the main battery **12** to supply power to the load **20**. Conversely, under unfavorable conditions, when the main battery is not sufficiently charged, the supply voltage of the main battery **12** is lower than the threshold value, and in such conditions, the control unit **16** is configured to permit power to be supplied also, or only, from the backup battery **14** to the load. It will be appreciated that, in this way, use of the backup battery **14** occurs only when strictly necessary, namely when the voltage across the main battery **12** falls below a predetermined level.

In the particular instance where the power supply unit **10** is for a stand alone parking meter, the nominal supply voltage of the main battery **12** is 6.0V and of the back-up battery **14** 7.2V. The control unit **16** is configured to permit power to be supplied from the backup battery **14** when the voltage across the main battery **12** measures 5.5 V or less.

Capacitor **30** is provided to assist during peak power demand and capacitor **22** assists with stability of the regulator **16** and with peak power demand. In alternative embodiments of the invention, a further, external recharging source, such as a portable charger, may be connected via terminal **28**. It will be appreciated that the extent of reliance on the backup battery **14** to supply current to circuit **20**, is minimized. This, in turn, extends the lifespan of the backup battery **14**.

The power supply unit **10** further includes diodes **34** and **36**, which serve to prevent reverse current from flowing into the solar panels **18** and an external auxiliary recharging source via terminal **28** respectively.

The communication device **24** communicates notifications to a control system (not shown). Typically, such notifications relate to the state of the main battery **12** and of the backup battery **14**. Notifications that are communicated are that the voltage across the main battery **12** has fallen below the predetermined minimum level, and that power is being supplied from the backup battery **14**. The communication device **24** communicates these notifications in a wireless manner across a telecommunications network via the cellular telephone module **26**.

It will be appreciated by the person skilled in the art that application of this invention is not limited to parking meters only, but that this invention also has application to a multitude of power supply units used to supply current to electrical circuits.

What is claimed is:

1. A parking meter comprising:

- a) a rechargeable battery;
- b) a charging arrangement comprising one or more terminals for connecting the rechargeable battery to one or more charging sources;

4

- c) a non-rechargeable battery;
- d) a wireless communication device; and
- e) a housing at least partially enclosing the rechargeable battery, the non-rechargeable battery, and the wireless communication device;

wherein the parking meter is configured to perform operations comprising:

- a) monitoring a status of the rechargeable battery or the non-rechargeable battery; and
- b) wirelessly transmitting a status message regarding the status of the rechargeable battery or the non-rechargeable battery to a control system external to the parking meter.

2. The parking meter of claim **1**, wherein the rechargeable battery consists of one to five cells.

3. The parking meter of claim **1**, wherein the parking meter is configured to monitor the status of the rechargeable battery by monitoring the status of a voltage across the rechargeable battery.

4. The parking meter of claim **3**, wherein the parking meter is configured to wirelessly transmit a status message regarding the status of the rechargeable battery when the voltage across the rechargeable battery drops below a predetermined level.

5. The parking meter of claim **4**, wherein the predetermined level is 5.5V.

6. The parking meter of claim **1**, wherein the status message comprises one or more selected from the group consisting of: voltage across the rechargeable battery, remaining battery charge of the rechargeable battery, remaining battery life of the rechargeable battery, and an error message indicating failure of the rechargeable battery.

7. The parking meter of claim **1**, wherein the wireless communication device communicates the status message over a telecommunications network.

8. The parking meter of claim **1**, wherein the one or more charging sources comprises at least one solar panel.

9. The parking meter of claim **1**, wherein the parking meter is a single space parking meter.

10. The parking meter of claim **1**, wherein the parking meter is a dual space parking meter.

11. The parking meter of claim **1**, wherein the parking meter is a multi-space parking meter.

12. A power supply for a parking meter, the power supply comprising:

- a) a rechargeable battery;
- b) an interface for connecting to one or more charging sources;
- c) a non-rechargeable battery; and
- d) an interface for connecting to a wireless communication device;

wherein the parking meter is configured to perform operations comprising:

- a) monitoring a status of the rechargeable battery or the non-rechargeable battery; and
- b) wirelessly transmitting a status message regarding the status of the rechargeable battery or the non-rechargeable battery to a control system external to the parking meter;

wherein the power supply is configured to be at least partially enclosed within the parking meter.

13. The power supply of claim **12**, wherein the rechargeable battery consists of one to five cells.

14. The parking meter of claim **12**, wherein the parking meter is configured to monitor the status of the rechargeable battery by monitoring the status of a voltage across the rechargeable battery.

5

15. The parking meter of claim 14, wherein the parking meter is configured to wirelessly transmit a status message regarding the status of the rechargeable battery when the voltage across the rechargeable battery drops below a predetermined level.

16. The parking meter of claim 15, wherein the predetermined level is 5.5V.

17. The parking meter of claim 12, wherein the status message comprises one or more selected from the group consisting of: voltage across the rechargeable battery, remaining battery charge of the rechargeable battery, remaining battery life of the rechargeable battery, and an error message indicating failure of the rechargeable battery.

18. The parking meter of claim 12, wherein the parking meter comprises a wireless communication device configured to transmit the status message over a telecommunications network.

19. The parking meter of claim 12, wherein the one or more charging sources comprises at least one solar panel.

20. The parking meter of claim 12, wherein the parking meter is a single space parking meter.

21. The parking meter of claim 12, wherein the parking meter is a dual space parking meter.

22. The parking meter of claim 12, wherein the parking meter is a multi-space parking meter.

23. A method for managing the supply of power to a parking meter comprising:

- a) monitoring the status of a rechargeable battery and a non-rechargeable battery; and

6

- b) wirelessly transmitting a status message to a control system external to the parking meter regarding the status of the rechargeable battery or the non-rechargeable battery;

5 wherein the rechargeable battery and the non-rechargeable battery are at least partially enclosed within the parking meter.

24. The method of claim 23, wherein the rechargeable battery consists of one to five cells.

10 25. The method of claim 23, wherein the status of the rechargeable battery comprises a voltage across the rechargeable battery.

26. The method of claim 25, wherein the wireless transmission is triggered when the voltage across the rechargeable battery drops below a predetermined level.

15 27. The method of claim 26, wherein the predetermined level is 5.5V.

28. The method of claim 23, wherein the status message comprises one or more selected from the group consisting of: voltage across the rechargeable battery, remaining charge of the rechargeable battery, remaining life of the rechargeable battery, and an error message indicating failure of the rechargeable battery.

29. The method of claim 23, wherein the status message wirelessly transmitting over a telecommunications network.

25 30. The method of claim 23, wherein the parking meter is a single space parking meter.

31. The method of claim 23, wherein the parking meter is a dual space parking meter.

32. The method of claim 23, wherein the parking meter is a multi-space parking meter.

* * * * *